


Window Opening suitable to the Conductor Size /Bus Bar Size as given below				Page No.	CAT. No.	Rated Current (Amp)	CT Size in mm		
1	2	3	4				Width	Height	Depth
WINDOW (BPL) / PLUG-IN TYPE									
15Ø	20x10	30x10 / 25x10	-	7	ELP	30 to 500	50	68	32
15Ø	20x10	30x10 / 25x10	-	7-8	ELPG	25 to 600	50	68	45
20x10	30x10 / 20x20	40x10 / 30x15	-	8-9	ELPH	30 to 800	62	80	31
20x10	30x10 / 20x20	40x10 / 30x15	-	9	ELPHN	25 to 800	62	80	50
30x10 / 20x20	40x10 / 30x15	40x10 / 2x30x10	-	10	ELPI	50 to 800	72	90	41
30x10 / 20x20	40x10 / 30x15	40x10 / 2x30x10	-	10-11	ELPIN	30 to 1000	72	90	50
30x10 / 20x20	40x10 / 30x15	40x10 / 2x30x10	-	11-12	ELPIA	50 to 800	72	90	60
30x10 / 20x20	40x10 / 30x15	50x10 / 2x40x10	-	12	ELPIM	50 to 1000	80	97	44
40x10 / 30x15	50x10 / 2x40x10	60x10 / 2x50x10	2x60x10 / 2x50x10	13	ELPJ	50 to 2000	89	106	41
40x10 / 30x15	50x10 / 2x40x10	60x10 / 2x50x10	2x60x10 / 2x50x10	14	ELPJN	100 to 2000	89	115	60
50x10 / 2x40x10	60x10 / 2x50x10	2x60x10 / 2x50x12	-	15	ELPK	100 to 2000	97	114	41
30x10 / 20x20	40x10 / 30x15	50x10 / 2x40x10	60x10 / 2x50x10	15-16	ELPKN	50 to 1600	97	114	60
60x10 / 2x50x10 / 2x40x10	80x12 / 2x60x10 / 3x50x10	-	-	16-17	ELPL	200 to 2000	106	123	41
2x80x10 / 3x60x10 / 3x50x10	2x100x10 / 3x80x10 / 3x70x12 / 4x60x10	-	-	17	ELPM	200 to 3200	140	160	41
2x50x10	2x60x10	2x80x10	-	17-18	ELPN	300 to 2500	116	128	50
2x60x10	2x80x10	3x80x10	3x100x10	18-19	ELPO	250 to 5000	136	171	60
40x10 / 30x15	60x10 / 2x50x10	-	-	19	ELPP	60 to 2000	150	170	100
2x100x10	2x120x10	-	-	20	ELPR	300 to 4000	102	211	42
-	-	125X10 / 2x100x10	-	20	ELPRX	200 to 2500	192	121	42
3x100x10	3x130x10	-	-	20-21	ELPSY	250 to 5000	144	244	55
3x100x10	3x130x10	-	-	21	ELPSX	250 to 5000	224	164	55
4x150x10	4x200x10	-	-	21-22	ELPTY	600 to 7500	210	265	85
4x150x10	4x200x10	-	-	22	ELPTX	600 to 7500	245	230	85
WOUND PRIMARY TYPE (WPL)									
Being WPL CTs, suitable size of conductor to be used for primary connections corresponding to Rated Primary current				23	EWPHN	1 to 30	62	80	50
				23	EWPA	1 to 40	72	90	41
				23	EWPIA	1 to 40	72	90	60
				23	EWPB	30 to 150	80	97	44
Window Opening suitable to the Conductor Size /Bus Bar Size as given below				Page No.	CAT. No.	Rated Current (Amp)	CT Size in mm		
							ID	OD	Depth
RING TYPE									
20X10				24	EOPX	100 to 150	25	75	42
25X12 / 25X10 / 20x10				24	EOPA	50 to 200	30	80	42
30X15 / 30x12 / 30x10				24	EOPB	100 to 400	40	90	45
50X15 / 2x40x12				24	EOPC	200 to 800	55	105	45
2X60X10 / 2x50x15/ 3x40x10				25	EOPD	300 to 1000	70	110	40
2X80X12 / 3x70x10 / 3x60x12 / 3x50x10 / 3x40x15				25	EOPE	600 to 1500	90	142	42
2X100X12 / 3x90x12 / 4x80x10 / 4x70x10 / 4x60x12				25	EOPF	1000 to 3200	110	160	42


ELP1 (E 15.3)




Class	0.5		1.0		3.0	
Ratio	Burden in VA					
30/5	-	-	-	-	1.5	-
40/5	-	-	1	-	1.5	2.5
50/5	-	-	1.5	-	2.5	3.75
60/5	-	-	1.5	-	2.5	3.75
75/5	-	-	1.5	-	2.5	5
80/5	-	-	2.5	-	3.75	5
100/5	1.5	-	3.75	5	5	10
125/5	1.5	2.5	3.75	5	5	10
150/5	2.5	3.75	3.75	5	7.5	10
200/5	2.5	3.75	5	7.5	7.5	10
250/5	3.75	5	5	7.5	7.5	10
300/5	3.75	5	5	7.5	7.5	10

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 70 sq.mm	-




ELP2 (E 21.3)




Class	0.5	1.0		3.0		
Ratio	Burden in VA					
30/5	-	-	-	1.5	-	
40/5	-	1	-	1.5	-	
50/5	-	1	-	2.5	-	
60/5	-	1	-	2.5	-	
75/5	-	1.5	-	2.5	3.75	
80/5	-	1.5	-	2.5	3.75	
100/5	1	2.5	-	3.75	7.5	
125/5	2.5	3.75	-	5	7.5	
150/5	2.5	5	-	7.5	10	
200/5	2.5	5	-	7.5	10	
250/5	3.75	5	-	7.5	10	
300/5	3.75	5	7.5	7.5	10	
400/5	5	5	7.5	7.5	10	
500/5	7.5	7.5	10	7.5	10	

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 150 sq.mm	20x10 mm




ELP3 (E 31.3)



Class	0.5		1.0		3.0	
Ratio	Burden in VA					
75/5	-	-	1	-	1.5	2.5
80/5	-	-	1	-	1.5	2.5
100/5	-	-	1.5	-	2.5	5
125/5	-	-	1.5	2.5	2.5	5
150/5	1	-	1.5	2.5	3.75	7.5
200/5	1	1.5	2.5	3.75	5	7.5
250/5	1.5	2.5	2.5	3.75	5	10
300/5	1.5	2.5	2.5	3.75	5	10
400/5	2.5	3.75	3.75	5	7.5	10
500/5	2.5	3.75	3.75	5	7.5	10

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	25x10 mm




ELPG1 (EG 15.4)




Class	0.5		1.0			3.0	
Ratio	Burden in VA						
25/5	-	-	-	-	-	1.5	-
30/5	-	-	1	-	-	1.5	2.5
40/5	-	-	1	1.5	-	2.5	3.75
50/5	-	-	1.5	2.5	-	2.5	5
60/5	1.5	-	1.5	2.5	3.75	3.75	7.5
75/5	2.5	-	3.75	-	-	5	7.5
100/5	2.5	5	5	7.5	-	7.5	15
125/5	3.75	5	7.5	10	-	10	15
150/5	5	7.5	10	15	-	12.5	20
200/5	-	-	5	-	-	-	-
250/5	-	-	7.5	-	-	-	-
300/5	-	-	10	-	-	-	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 70 sq.mm	-




ELPG2 (EG 21.4)



Class	0.5		1.0		3.0	
Ratio	Burden in VA					
25/5	-	-	-	-	1	1.5
30/5	-	-	-	-	1.5	-
40/5	-	-	-	-	2.5	-
50/5	1	-	1.5	-	2.5	3.75
60/5	1	-	1.5	-	2.5	5
75/5	1.5	-	1.5	2.5	2.5	5
100/5	1.5	2.5	3.75	5	5	10
125/5	2.5	5	5	7.5	7.5	10
150/5	2.5	5	5	7.5	7.5	10
200/5	7.5	-	7.5	10	12.5	-
250/5	10	-	15	-	20	-
300/5	10	-	15	-	20	-
400/5	15	-	20	-	20	-
500/5	15	-	20	-	20	-
600/5	15	-	20	-	20	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 150 sq.mm	20x10 mm




ELPG3 (EG 31.4)




Class	0.5		1.0		3.0	
Ratio	Burden in VA					
50/5	-	-	-	-	2.5	-
60/5	-	-	1	-	2.5	-
75/5	1	-	1	1.5	2.5	5
100/5	1.5	2.5	2.5	3.75	2.5	7.5
125/5	1.5	2.5	2.5	5	7.5	-
150/5	2.5	-	3.75	5	10	-
200/5	3.75	-	2.5	5	7.5	-
250/5	5	-	5	7.5	10	-
300/5	5	-	5	7.5	10	-
400/5	5	7.5	5	10	12.5	-
500/5	7.5	-	10	15	12.5	-
600/5	10	-	10	15	20	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	25x10 mm




ELPH1 (EH 21.3)




Class	0.5		1.0			3.0	
Ratio	Burden in VA						
30/5	-	-	-	-	-	2.5	-
40/5	-	-	1	-	-	2.5	-
50/5	-	-	1	1.5	-	3.75	-
60/5	1	-	1	1.5	-	3.75	5
75/5	1.5	-	1.5	2.5	-	5	-
100/5	1.5	2.5	2.5	3.75	5	5	10
125/5	2.5	5	3.75	7.5	-	5	10
150/5	2.5	5	5	7.5	-	7.5	15
200/5	5	7.5	7.5	10	-	10	-
250/5	10	-	12.5	15	-	15	-
300/5	10	-	10	15	-	20	-
400/5	15	-	20	-	-	20	-
500/5	15	-	20	-	-	20	-
600/5	15	-	20	-	-	20	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 150 sq.mm	20x10 mm




ELPH2 (EH 31.3)




Class	0.5		1.0		3.0	
Ratio	Burden in VA					
40/5	-	-	-	-	1.5	-
50/5	-	-	1	-	1.5	2.5
60/5	-	-	1.25	-	2.5	-
75/5	-	-	1.5	-	3.75	5
100/5	1.5	2.5	3.75	-	5	7.5
125/5	1.5	2.5	3.75	5	7.5	-
150/5	2.5	-	3.75	5	5	7.5
200/5	2.5	3.75	3.75	5	7.5	-
250/5	5	-	5	7.5	10	-
300/5	5	-	7.5	-	10	-
400/5	7.5	-	5	10	12.5	-
500/5	7.5	-	5	10	12.5	-
600/5	10	-	15	-	20	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPH3 (EH 41.3)



Class Ratio	0.5	1.0	3.0
Burden in VA			
100/5	-	1.5	2.5
125/5	-	1.5	2.5
150/5	1.5	2.5	3.75
200/5	1.5	2.5	3.75
250/5	2.5	2.5	5
300/5	2.5	3.75	5
400/5	3.75	5	7.5
500/5	5	5	10
600/5	5	5	10
800/5	7.5	5	10

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPHN1 (EHN 21.5)




Class Ratio	0.5	1.0	3.0
Burden in VA			
25/5	-	-	2.5
30/5	-	-	2.5
40/5	-	1.5	2.5
50/5	-	1.5	2.5
60/5	-	2.5	5
75/5	2.5	3.75	10
100/5	2.5	5	10
125/5	2.5	7.5	10
150/5	5	10	12.5
200/5	12.5	15	20
250/5	15	20	25
300/5	15	20	25
400/5	20	25	30
500/5	25	30	30
600/5	25	30	30

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 150 sq.mm	20x10 mm




ELPHN2 (EHN 31.5)




Class Ratio	0.5	1.0	3.0
Burden in VA			
30/5	-	-	1
40/5	-	-	2.5
50/5	-	1.5	2.5
60/5	-	1.5	2.5
75/5	-	2.5	3.75
100/5	2.5	5	5
125/5	2.5	5	7.5
150/5	2.5	5	10
200/5	5	7.5	10
250/5	10	10	15
300/5	10	15	20
400/5	10	15	20
500/5	10	15	25
600/5	20	25	30
800/5	25	30	30

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPHN3 (EHN 41.5)




Class Ratio	0.5	1.0	3.0
Burden in VA			
75/5	-	1	1.5
100/5	-	1.5	2.5
125/5	-	2.5	3.75
150/5	-	3.75	5
200/5	2.5	5	10
250/5	3.75	5	10
300/5	5	7.5	10
400/5	5	5	15
500/5	7.5	5	15
600/5	10	10	15
800/5	10	10	20

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPI1 (EI 31.4)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	1	1.5
60/5	1	2.5
75/5	2.5	3.75
100/5	2.5	5
125/5	2.5	5
150/5	5	10
200/5	7.5	10
250/5	7.5	10
300/5	10	12.5
400/5	12.5	15
500/5	12.5	15
600/5	15	20
800/5	20	30

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPI2 (EI 41.4)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	-	1
60/5	-	1.5
75/5	-	1.5
100/5	1.5	3.75
125/5	1.5	3.75
150/5	2.5	5
200/5	2.5	7.5
250/5	5	7.5
300/5	5	10
400/5	10	12.5
500/5	10	12.5
600/5	10	15
800/5	10	12.5

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPI3 (EI 41.4N)




Class	0.5	1.0
Ratio	Burden in VA	
150/5	1.5	2.5
200/5	1.5	2.5
250/5	2.5	3.75
300/5	2.5	5
400/5	3.75	5
500/5	3.75	5

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	40x10 mm
-	2x30x10 mm




ELPIN1 (EIN 31.5)




Class	0.5	1.0
Ratio	Burden in VA	
30/5	-	1
40/5	-	1.5
50/5	1	2.5
60/5	1.5	3.75
75/5	2.5	5
100/5	5	7.5
125/5	5	7.5
150/5	10	12.5
200/5	10	15
250/5	10	15
300/5	12.5	15
400/5	15	20
500/5	15	25
600/5	20	30
800/5	20	35

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPIN2 (EIN 41.5)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	-	1
60/5	-	1.5
75/5	1.5	2.5
100/5	2.5	3.75
125/5	2.5	3.75
150/5	5	7.5
200/5	7.5	10
250/5	10	12.5
300/5	10	12.5
400/5	15	20
500/5	12.5	15
600/5	15	20
800/5	15	20
1000/5	15	20

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPIN3 (EIN 41.5N)




Class	0.5	1.0
Ratio	Burden in VA	
125/5	-	1.5
150/5	1.5	2.5
200/5	2.5	3.75
250/5	2.5	3.75
300/5	3.75	5
400/5	5	7.5
500/5	5	7.5

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	40x10 mm
-	2x30x10 mm




ELPIA1 (EIA 31.6)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	1	2.5
60/5	1.5	3.75
75/5	2.5	5
100/5	5	10
125/5	5	10
150/5	10	15
200/5	15	20
250/5	15	20
300/5	15	20
400/5	20	25
500/5	25	30
600/5	25	35
800/5	30	40

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPIA2 (EIA 41.6)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	-	1.5
60/5	-	1.5
75/5	-	2.5
100/5	3.75	5
125/5	3.75	5
150/5	7.5	10
200/5	10	12.5
250/5	12.5	15
300/5	12.5	15
400/5	15	20
500/5	20	25
600/5	20	30
800/5	20	25

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPIA3 (EIA 41.6N)




Class	0.5	1.0
Ratio	Burden in VA	
125/5	1.5	2.5
150/5	2.5	3.75
200/5	3.75	5
250/5	3.75	5
300/5	5	7.5
400/5	5	7.5
500/5	7.5	10

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	40x10 mm
-	2x30x10 mm




ELPIM1 (EIM 31.4)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	-	2.5
60/5	-	3.75
75/5	2.5	5
100/5	3.75	7.5
125/5	7.5	12.5
150/5	10	15
200/5	10	12.5
250/5	12.5	15
300/5	15	20
400/5	15	20
500/5	20	25
600/5	20	30

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPIM2 (EIM 41.4)




Class	0.5	1.0
Ratio	Burden in VA	
75/5	-	2.5
100/5	2.5	5
125/5	5	7.5
150/5	5	10
200/5	7.5	10
250/5	10	12.5
300/5	10	15
400/5	12.5	15
500/5	15	20
600/5	15	20
800/5	15	20
1000/5	20	25

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPIM3 (EIM 51.4)




Class	0.5	1.0
Ratio	Burden in VA	
100/5	-	2.5
125/5	-	2.5
150/5	2.5	3.75
200/5	2.5	5
250/5	5	5
300/5	5	5
400/5	5	10
500/5	7.5	10
600/5	10	15
800/5	10	15
1000/5	15	20

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	50x10 mm
-	2x40x10 mm
-	2x30x10 mm




ELPJ1 (EJ 41.4)




Class	0.5		1.0	
Ratio	Burden in VA			
50/5	-	-	1.5	-
60/5	1.5	-	2.5	-
75/5	1.5	-	3.75	-
100/5	2.5	-	3.75	5
125/5	5	-	5	7.5
150/5	5	7.5	5	10
200/5	10	-	15	-
250/5	12.5	-	15	-
300/5	15	-	20	-
400/5	25	-	30	-
500/5	30	-	35	-
600/5	30	-	35	-
800/5	30	-	40	-
1000/5	40	-	50	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPJ2 (EJ 51.4)




Class	0.5		1.0	
Ratio	Burden in VA			
100/5	1.5	-	2.5	-
125/5	1.5	-	2.5	-
150/5	3.75	5	7.5	-
200/5	7.5	-	10	-
250/5	10	-	10	12.5
300/5	10	-	12.5	15
400/5	10	12.5	15	-
500/5	15	-	20	-
600/5	20	-	15	25
800/5	15	20	15	30
1000/5	20	-	30	-
1200/5	25	-	30	-
1250/5	25	-	30	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	50x10 mm
-	2x40x10 mm
-	2x30x10 mm




ELPJ3 (EJ 62.4)




Class	0.5		1.0	
Ratio	Burden in VA			
200/5	-	-	3.75	-
250/5	2.5	-	5	-
300/5	3.75	-	5	-
400/5	5	-	5	7.5
500/5	5	7.5	5	10
600/5	5	7.5	5	10
800/5	10	-	10	12.5
1000/5	10	12.5	12.5	15
1200/5	15	-	20	-
1250/5	12.5	-	20	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	60x10 mm
-	2x50x10 mm




ELPJ4 (EJ 62*2.4)




Class	0.5		1.0		
Ratio	Burden in VA				
200/5	3.75	-	5	-	-
250/5	5	-	7.5	-	-
300/5	5	-	5	7.5	-
400/5	10	-	5	10	12.5
500/5	10	-	10	15	-
600/5	10	15	10	15	20
800/5	15	-	10	15	20
1000/5	15	20	10	15	25
1200/5	25	-	15	30	-
1250/5	20	-	15	30	-
1500/5	30	-	35	-	-
1600/5	15	25	15	25	30
1800/5	30	-	35	-	-
2000/5	30	-	35	-	-

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 300 sq.mm	2x60x10 mm
-	2x50x10 mm




ELPJN1 (EJN 41.6)




Class Ratio	0.5	1.0
Burden in VA		
100/5	3.75	5
125/5	5	10
150/5	7.5	15
200/5	15	20
250/5	20	25
300/5	20	25
400/5	30	35
500/5	35	45
600/5	35	45
800/5	50	60
1000/5	50	60

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPJN2 (EJN 51.6)




Class Ratio	0.5	1.0
Burden in VA		
100/5	2.5	3.75
125/5	2.5	3.75
150/5	5	7.5
200/5	10	15
250/5	15	20
300/5	15	20
400/5	20	25
500/5	20	25
600/5	25	30
800/5	30	35
1000/5	30	35
1200/5	30	35
1250/5	30	35

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	50x10 mm
-	2x40x10 mm
-	2x30x10 mm




ELPJN3 (EJN 62.6)




Class Ratio	0.5	1.0
Burden in VA		
200/5	-	5
250/5	5	7.5
300/5	5	7.5
400/5	7.5	10
500/5	7.5	10
600/5	10	12.5
800/5	10	15
1000/5	15	20
1200/5	20	25
1250/5	20	25
1500/5	20	25

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	60x10 mm
-	2x50x10 mm




ELPJN4 (EJN 62*2.6)




Class Ratio	0.5	1.0
Burden in VA		
200/5	7.5	10
250/5	10	12.5
300/5	12.5	15
400/5	15	20
500/5	20	25
600/5	20	25
800/5	20	25
1000/5	25	30
1200/5	25	30
1250/5	25	30
1500/5	30	40
1600/5	30	40
1800/5	30	40
2000/5	30	40

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 300 sq.mm	2x60x10 mm
-	2x50x10 mm




ELPK1 (EK 51.4)




Class	0.5	1.0
Ratio	Burden in VA	
100/5	1.5	3.75
125/5	1.5	3.75
150/5	5	7.5
200/5	7.5	12.5
250/5	10	15
300/5	12.5	15
400/5	12.5	15
500/5	15	20
600/5	20	25
800/5	30	35
1000/5	30	35
1200/5	35	45
1250/5	35	45

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	50x10 mm
-	2x40x10 mm
-	2x30x10 mm




ELPK2 (EK 62.4)




Class	0.5	1.0
Ratio	Burden in VA	
100/5	-	2.5
125/5	3.75	3.75
150/5	2.5	5
200/5	5	7.5
250/5	7.5	10
300/5	10	12.5
400/5	7.5	10
500/5	12.5	15
600/5	15	20
800/5	20	25
1000/5	20	25
1200/5	15	20
1250/5	15	20
1500/5	20	25
1600/5	20	25

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	60x10 mm
-	2x50x10 mm




ELPK3 (EK 61*2.4)




Class	0.5	1.0
Ratio	Burden in VA	
150/5	1.5	2.5
200/5	2.5	3.75
250/5	2.5	3.75
300/5	3.75	5
400/5	3.75	5
500/5	5	7.5
600/5	5	7.5
800/5	7.5	10
1000/5	10	12.5
1200/5	10	15
1250/5	10	15
1500/5	15	20
1600/5	15	20
1800/5	20	25
2000/5	20	25

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	2x60x10 mm
-	2x50x12 mm




ELPKN1 (EKN 31.6)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	1.5	2.5
60/5	1.5	3.75
75/5	2.5	5
100/5	7.5	10
125/5	10	15
150/5	12.5	20
200/5	20	30
250/5	25	35
300/5	30	40
400/5	40	50
500/5	40	50
600/5	40	50

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	30x10 mm
-	20x20 mm




ELPKN2 (EKN 41.6)




Class	0.5	1.0
Ratio	Burden in VA	
50/5	-	1.5
60/5	1.5	2.5
75/5	2.5	3.75
100/5	5	10
125/5	7.5	15
150/5	7.5	15
200/5	15	25
250/5	20	25
300/5	25	30
400/5	30	40
500/5	40	50
600/5	40	50
800/5	50	60
1000/5	50	60

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPKN3 (EKN 51.6)




Class	0.5	1.0
Ratio	Burden in VA	
100/5	3.75	5
125/5	5	7.5
150/5	5	10
200/5	10	20
250/5	15	20
300/5	20	25
400/5	20	25
500/5	25	30
600/5	30	35
800/5	35	45
1000/5	40	50
1200/5	50	60
1250/5	50	60

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	50x10 mm
-	2x40x10 mm
-	2x30x10 mm




ELPKN4 (EKN 62.6)




Class	0.5	1.0
Ratio	Burden in VA	
100/5	1.5	3.75
125/5	2.5	5
150/5	5	7.5
200/5	7.5	12.5
250/5	10	15
300/5	15	20
400/5	15	20
500/5	20	20
600/5	20	30
800/5	20	30
1000/5	30	40
1200/5	25	30
1250/5	25	30
1500/5	30	35
1600/5	30	40

Din Rail Mounting Option Available

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	60x10 mm
-	2x50x10 mm




ELPL1 (EL 62.4)




Class	0.5	1.0
Ratio	Burden in VA	
200/5	10	12.5
250/5	10	15
300/5	10	15
400/5	10	15
500/5	15	20
600/5	20	25
800/5	25	30
1000/5	30	35
1200/5	30	45
1250/5	30	45
1500/5	40	45
1600/5	20	25
1800/5	20	30
2000/5	20	30

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	60x10 mm
-	2x50x10 mm
-	2x40x10 mm




ELPL2 (EL 81.4)




Class	0.5	1.0
Ratio	Burden in VA	
200/5	2.5	3.75
250/5	3.75	5
300/5	3.75	5
400/5	5	7.5
500/5	7.5	10
600/5	7.5	10
800/5	10	15

Class	0.5	1.0
Ratio	Burden in VA	
1000/5	10	15
1200/5	15	20
1250/5	15	20
1500/5	15	25
1600/5	15	20
1800/5	15	20
2000/5	15	20

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	80x12 mm
-	2x60x10 mm
-	3x50x10 mm




ELPM1 (EM 82*2.4)




Class	0.5	1.0
Ratio	Burden in VA	
200/5	5	7.5
250/5	5	7.5
300/5	10	15
400/5	10	15
500/5	15	20
600/5	25	30
800/5	25	30
1000/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
1200/5	35	40
1250/5	35	40
1500/5	35	40
1600/5	35	40
1800/5	40	45
2000/5	45	50
2500/5	40	45

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	2x80x10 mm
-	3x60x10 mm
-	3x50x10 mm




ELPM2 (EM 102*2.4)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	3.75	5
400/5	5	7.5
500/5	7.5	10
600/5	10	15
800/5	15	20
1000/5	15	20
1200/5	15	20
1250/5	20	20

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	20	25
1600/5	20	25
1800/5	20	25
2000/5	30	35
2500/5	30	35
3000/5	30	40
3200/5	30	40

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	2x100x10 mm
-	3x80x10 mm
-	3x70x12 mm
-	4x60x10 mm
-	4x50x10 mm



ELPN1 (EN 55*2.5)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	10	12.5
400/5	12.5	15
500/5	15	20
600/5	20	25
800/5	20	25
1000/5	30	35
1200/5	35	40
1250/5	35	40
1500/5	40	50

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x50x10 mm




ELPN2 (EN 65*2.5)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	7.5	10
400/5	10	12.5
500/5	12.5	15
600/5	15	20
800/5	15	20
1000/5	25	30
1200/5	30	35
1250/5	30	35
1500/5	35	45
1600/5	40	45
1800/5	40	45
2000/5	40	45

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x60x10 mm




ELPN3 (EN 85*2.5)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	5	7.5
400/5	7.5	10
500/5	10	12.5
600/5	10	15
800/5	10	15
1000/5	20	25
1200/5	20	25
1250/5	20	25
1500/5	25	30
1600/5	25	30
1800/5	25	30
2000/5	25	30
2500/5	25	30

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x80x10 mm




ELPO1 (EO 65*2.6)




Class	0.5	1.0
Ratio	Burden in VA	
250/5	10	12.5
300/5	12.5	15
400/5	15	20
500/5	20	25
600/5	25	30
800/5	35	40
1000/5	40	50
1200/5	50	60
1250/5	50	60
1500/5	50	60

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x60x10 mm




ELPO2 (EO 85*2.6)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	7.5	10
400/5	10	15
500/5	12.5	15
600/5	15	20
800/5	20	30
1000/5	30	35
1200/5	35	40

Class	0.5	1.0
Ratio	Burden in VA	
1250/5	35	40
1500/5	40	50
1600/5	40	50
1800/5	50	60
2000/5	50	60
2500/5	50	60
3000/5	50	60

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x80x10 mm




ELPO3 (EO 85*3.6)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	5	7.5
400/5	7.5	10
500/5	10	15
600/5	10	15
800/5	15	20
1000/5	20	30
1200/5	20	30
1250/5	25	35

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	25	40
1600/5	30	40
1800/5	30	40
2000/5	30	50
2500/5	40	50
3000/5	50	60
3200/5	40	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x80x10 mm




ELPO4 (EO 105*3.6)




Class	0.5	1.0
Ratio	Burden in VA	
400/5	7.5	12.5
500/5	10	12.5
600/5	12.5	15
800/5	20	25
1000/5	20	30
1200/5	25	30
1250/5	30	35
1500/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
1600/5	30	40
1800/5	30	40
2000/5	40	50
2500/5	40	50
3000/5	40	50
3200/5	40	50
4000/5	40	50
5000/5	40	50

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x100x10 mm




ELPP1 (EP 41.10)




Class	5P5	5P10
Ratio	Burden in VA	
60/5	7.5	-
75/5	10	-
100/5	15	5
125/5	15	5
150/5	20	10
200/5	20	10
250/5	20	10
300/5	20	12.5
400/5	20	15
500/5	20	15
600/5	20	15
800/5	20	15

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	40x10 mm
-	30x15 mm
-	20x10 mm




ELPP2 (EP 62.10)



Class	5P5	5P10
Ratio	Burden in VA	
100/5	5	3.75
125/5	7.5	3.75
150/5	7.5	5
200/5	10	7.5
250/5	15	10
300/5	15	10
400/5	20	15
500/5	20	15
600/5	25	20

Class	5P5	5P10
Ratio	Burden in VA	
800/5	35	25
1000/5	45	30
1200/5	50	35
1250/5	50	35
1500/5	60	40
1600/5	60	40
1800/5	60	45
2000/5	60	50

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	60x10 mm
-	2x50x10 mm




ELPR1 (ER 104*2.4)



Class	0.5	1.0
Ratio	Burden in VA	
300/5	10	15
400/5	10	15
500/5	15	20
600/5	15	20
800/5	20	30
1000/5	30	35
1200/5	35	40
1250/5	35	40

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	40	50
1600/5	35	45
1800/5	40	50
2000/5	50	60
2500/5	30	60
3000/5	30	50
3200/5	30	50
4000/5	30	50

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x100x10 mm




ELPR2 (ER 125*2.4)




Class	0.5	1.0
Ratio	Burden in VA	
300/5	7.5	10
400/5	7.5	10
500/5	10	15
600/5	10	15
800/5	15	20
1000/5	25	30
1200/5	30	35
1250/5	30	35

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	35	40
1600/5	35	40
1800/5	30	35
2000/5	30	40
2500/5	35	45
3000/5	30	40
3200/5	30	40
4000/5	30	40

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	2x120x10 mm



ELPRX3 (ER 126*4)




Class	0.5	1.0
Ratio	Burden in VA	
200/5	2.5	5
300/5	5	7.5
400/5	7.5	10
500/5	10	15
600/5	10	15
800/5	15	20
1000/5	20	25

Class	0.5	1.0
Ratio	Burden in VA	
1200/5	25	30
1250/5	25	30
1500/5	25	30
1600/5	25	30
1800/5	25	30
2000/5	30	40
2500/5	40	45

1C Cable Size	Bus Bar Size
Up to 400 sq.mm	125x10 mm
-	2x100x10 mm




ELPSY1 (ES 105*3.5)




Class	0.5	1.0
Ratio	Burden in VA	
250/5	5	7.5
300/5	7.5	10
400/5	10	15
500/5	12.5	15
600/5	15	20
800/5	20	25
1000/5	25	30
1200/5	30	35
1250/5	35	40

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	40	45
1600/5	40	45
1800/5	40	45
2000/5	40	50
2500/5	40	50
3000/5	40	50
3200/5	40	50
4000/5	50	60
5000/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x100x10 mm




ELPSY2 (ES 136*3.5)




Class	0.5	1.0
Ratio	Burden in VA	
250/5	3.75	5
300/5	5	7.5
400/5	7.5	12.5
500/5	10	15
600/5	20	25
800/5	20	25
1000/5	25	30
1200/5	25	35
1250/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	30	40
1600/5	30	40
1800/5	35	40
2000/5	35	45
2500/5	50	60
3000/5	50	60
3200/5	50	60
4000/5	50	60
5000/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x130x10 mm




ELPSX1 (ES 105*3.5)




Class	0.5	1.0
Ratio	Burden in VA	
250/5	5	7.5
300/5	7.5	10
400/5	10	15
500/5	12.5	15
600/5	15	20
800/5	20	25
1000/5	25	30
1200/5	30	35
1250/5	35	40

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	40	45
1600/5	40	45
1800/5	40	45
2000/5	40	50
2500/5	40	50
3000/5	40	50
3200/5	40	50
4000/5	50	60
5000/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x100x10 mm




ELPSX2 (ES 136*3.5)




Class	0.5	1.0
Ratio	Burden in VA	
250/5	3.75	5
300/5	5	7.5
400/5	7.5	12.5
500/5	10	15
600/5	20	25
800/5	20	25
1000/5	25	30
1200/5	25	35
1250/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
1500/5	30	40
1600/5	30	40
1800/5	35	40
2000/5	35	45
2500/5	50	60
3000/5	50	60
3200/5	50	60
4000/5	50	60
5000/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	3x130x10 mm




ELPTY1 (ET 160*4.8)




Class	0.5	1.0
Ratio	Burden in VA	
600/5	12.5	15
800/5	20	25
1000/5	20	30
1200/5	30	40
1250/5	30	40
1500/5	30	40
1600/5	30	40
1800/5	40	50
2000/5	45	50

Class	0.5	1.0
Ratio	Burden in VA	
2500/5	50	60
3000/5	50	60
3200/5	50	60
4000/5	50	60
5000/5	50	60
6000/5	50	60
7000/5	50	60
7500/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	4x150x10 mm




ELPTY2 (ET 210*4.8)




Class	0.5	1.0
Ratio	Burden in VA	
600/5	10	12.5
800/5	12.5	15
1000/5	15	20
1200/5	20	25
1250/5	20	25
1500/5	25	30
1600/5	25	30
1800/5	30	35
2000/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
2500/5	35	45
3000/5	40	50
3200/5	40	50
4000/5	40	50
5000/5	40	50
6000/5	40	50
7000/5	35	45
7500/5	35	50

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	4x200x10 mm




ELPTX1 (ET 160*4.8)




Class	0.5	1.0
Ratio	Burden in VA	
600/5	12.5	15
800/5	20	25
1000/5	20	30
1200/5	30	40
1250/5	30	40
1500/5	30	40
1600/5	30	40
1800/5	40	50
2000/5	45	50

Class	0.5	1.0
Ratio	Burden in VA	
2500/5	50	60
3000/5	50	60
3200/5	50	60
4000/5	50	60
5000/5	50	60
6000/5	50	60
7000/5	50	60
7500/5	50	60

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	4x150x10 mm




ELPTX2 (ET 210*4.8)




Class	0.5	1.0
Ratio	Burden in VA	
600/5	10	12.5
800/5	12.5	15
1000/5	15	20
1200/5	20	25
1250/5	20	25
1500/5	25	30
1600/5	25	30
1800/5	30	35
2000/5	30	40

Class	0.5	1.0
Ratio	Burden in VA	
2500/5	35	45
3000/5	40	50
3200/5	40	50
4000/5	40	50
5000/5	40	50
6000/5	40	50
7000/5	35	45
7500/5	35	50

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	4x200x10 mm




EWPHN (EWN 62/5)



Class	0.5	1.0			
Ratio	Burden in VA				
1/5	5	2.5	5	10	
2.5/5	5	2.5	5	10	
5/5	5	2.5	5	10	
10/5	5	2.5	5	10	
15/5	5	2.5	5	10	
20/5	5	2.5	5	10	
25/5	5	2.5	5	10	
30/5	5	2.5	5	10	

Din Rail Mounting Option Available


EWPA (EWA 72/4)



Class	0.5	1.0
Ratio	Burden in VA	
1/5	7.5	15
2.5/5	7.5	15
5/5	7.5	15
10/5	7.5	15
15/5	7.5	15
20/5	7.5	15
25/5	7.5	15
30/5	7.5	15
40/5	7.5	15

Din Rail Mounting Option Available


EWPIA (EWI 72/6)



Class	0.5	1.0
Ratio	Burden in VA	
1/5	10	20
2.5/5	10	20
5/5	10	20
10/5	10	20
15/5	10	20
20/5	10	20
25/5	10	20
30/5	10	20
40/5	10	20

Din Rail Mounting Option Available


EWPB (EWB 80/4)



Class	0.5	1.0
Ratio	Burden in VA	
30/5	7.5	15
40/5	7.5	15
50/5	7.5	15
60/5	7.5	15
75/5	7.5	15
80/5	7.5	15
100/5	7.5	15
125/5	7.5	15
150/5	7.5	15


Din Rail Mounting Option Available

EOPX




Class	0.5	1.0	3.0
Ratio	Burden in VA		
100/5	5	5	5
125/5	5	10	12.5
150/5	10	15	15

1C Cable Size	Bus Bar Size
Up to 240 sq.mm	20x10 mm




EOPA




Class	0.5			1.0		
Ratio	Burden in VA					
50/5	-	-	-	1.5	-	-
60/5	-	-	-	1.5	-	-
75/5	-	-	-	1.5	-	-
100/5	5	-	-	5	-	-
125/5	5	-	-	5	10	-
150/5	5	10	-	5	10	15
200/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 300 sq.mm	25x12 mm
-	25x10 mm
-	20x10 mm




EOPB




Class	0.5			1.0		
Ratio	Burden in VA					
100/5	5	-	-	5	-	-
125/5	5	-	-	5	10	-
150/5	5	10	-	5	10	15
200/5	5	10	15	5	10	15
250/5	5	10	15	5	10	15
300/5	5	10	15	5	10	15
400/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 630 sq.mm	30x15 mm
-	30x12 mm
-	30x10 mm




EOPC




Class	0.5			1.0		
Ratio	Burden in VA					
200/5	5	10	15	5	10	15
250/5	5	10	15	5	10	15
300/5	5	10	15	5	10	15
400/5	5	10	15	5	10	15
500/5	5	10	15	5	10	15
600/5	5	10	15	5	10	15
800/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	50x15 mm
-	2x40x12 mm




EOPD




Class	0.5			1.0		
Ratio	Burden in VA					
300/5	5	7.5	-	5	10	-
400/5	5	10	-	5	10	15
500/5	5	10	15	5	10	15
600/5	5	10	15	5	10	15
800/5	5	10	15	5	10	15
1000/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	2x60x10 mm
-	2x50x15 mm
-	3x40x10 mm




EOPE




Class	0.5			1.0		
Ratio	Burden in VA					
600/5	5	10	15	5	10	15
800/5	5	10	15	5	10	15
1000/5	5	10	15	5	10	15
1200/5	5	10	15	5	10	15
1250/5	5	10	15	5	10	15
1500/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	2x80x12 mm
-	3x70x10 mm
-	3x60x12 mm
-	3x50x10 mm
-	3x40x15 mm



EOPF



Class	0.5			1.0		
Ratio	Burden in VA					
1000/5	5	10	15	5	10	15
1200/5	5	10	15	5	10	15
1250/5	5	10	15	5	10	15
1500/5	5	10	15	5	10	15
1600/5	5	10	15	5	10	15
2000/5	5	10	15	5	10	15
2500/5	5	10	15	5	10	15
3000/5	5	10	15	5	10	15
3200/5	5	10	15	5	10	15

1C Cable Size	Bus Bar Size
Up to 1000 sq.mm	2x100x12 mm
-	3x90x12 mm
-	4x80x10 mm
-	4x70x10 mm
-	4x60x12 mm

