















## **FDBK1X8**

Terminal Type - FDBK1X8 , Distribution Block, nominal voltage: 800 V, nominal current: IC-64 A , OG-32 A , Rated cross-section - IC-25 mm<sup>2</sup> ,OG-4 mm<sup>2</sup>, connection method: 1 Nut connection for IC & Screw connection for OG, number of connections: 17, cross-section: IC-10 -25 mm<sup>2</sup>, OG-0.5 - 6 mm<sup>2</sup>, mounting type: TS 35/7.5, TS 35/15, TS 32

### **Product Accessories**

| <b>Cover Profile</b>          |                                                                                      |                                                                                       |
|-------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PCPDBF-4                      | Height : 13.10 mm<br>Thickness : 1.00 mm<br>Length : 95.00 mm                        |    |
| <b>DIN Rail Perforated</b>    |                                                                                      |                                                                                       |
| CHKDS                         | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm<br>Length : 2,000.00 mm |    |
| CHKS                          | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |   |
| CHS                           | Height : 15.00 mm<br>Width : 32.00 mm<br>Thickness : 1.50 mm                         |  |
| <b>DIN Rail, Unperforated</b> |                                                                                      |                                                                                       |
| CHKD                          | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm                         |  |
| CHK                           | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |  |
| <b>End Cap</b>                |                                                                                      |                                                                                       |
| CHKENDCAP                     | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm                            |  |
| <b>End Clamp</b>              |                                                                                      |                                                                                       |
| SCUP                          | Height : 34.00 mm<br>Length : 44.75 mm                                               |  |

| End Clamp                  |                                                               |                                                                                       |
|----------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCEC35                     | Height : 31.50 mm<br>Width : 8.00 mm<br>Length : 45.80 mm     |    |
| SCUSL                      | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm     |    |
| SCUDD                      | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm    |    |
| DCKN                       | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm     |    |
| DCKN10                     | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm    |   |
| SCKN                       | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm     |  |
| SCUN                       | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm     |  |
| Marker For Terminal Blocks |                                                               |                                                                                       |
| LABEL KN6.5                | Width : 6.70 mm                                               |  |
| Partition Plate            |                                                               |                                                                                       |
| DBF-4                      | Height : 45.40 mm<br>Thickness : 3.00 mm<br>Length : 90.00 mm |  |
| KBXF                       | Height : 53.40 mm<br>Thickness : 1.50 mm<br>Length : 54.00 mm |  |
| KBX                        | Height : 43.00 mm<br>Thickness : 1.50 mm<br>Length : 54.00 mm |  |

| Marker carriers |                                                            |                                                                                     |
|-----------------|------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SCUDDMLH        | Height : 71.50 mm<br>Width : 10.00 mm<br>Length : 55.60 mm |  |
| SCUNMLH         | Height : 53.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm  |  |
| DCKNMLH         | Height : 45.50 mm<br>Width : 6.00 mm<br>Length : 43.50 mm  |  |
| SCKNMLH         | Height : 45.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm  |  |

