

KULTD4

Terminal Type - KULTD4 , Knife Disconnect Terminal Block, nominal voltage: 800 V, nominal current: 20 A, Rated cross section: 4.0mm² , connection method: Screw connection, number of connections: 2, cross section: 0.5 mm² - 4 mm², AWG: 24 - 10 , mounting type: TS 35/7.5, TS 35/15 , TS 32


Product Accessories

| Cover Profile | | |
|-------------------------------|--|---|
| PCK3 | Height : 28.00 mm Width : 58.35 mm Thickness : 1.00 mm |  |
| Cover Profile Carrier | | |
| UHDD | Height : 74.50 mm Thickness : 2.00 mm Length : 55.82 mm |  |
| DIN Rail Perforated | | |
| CHKDS | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm Length : 2,000.00 mm |  |
| CHKS | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| DIN Rail, Unperforated | | |
| CHKD | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm |  |
| CHK | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| End Cap | | |
| CHKENDCAP | Height : 14.00 mm Width : 9.00 mm Length : 41.50 mm |  |
| End Clamp | | |
| SCEC35 | Height : 31.50 mm Width : 8.00 mm Length : 45.80 mm |  |

| End Clamp | | |
|------------------|--|---|
| SCUP | Height : 34.00 mm Width : 9.00 mm Length : 44.75 mm |  |
| SCUDD | Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm |  |
| SCUSL | Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm |  |
| DCKN | Height : 33.00 mm Width : 6.00 mm Length : 43.50 mm |  |
| DCKN10 | Height : 35.00 mm Width : 10.00 mm Length : 43.50 mm |  |
| SCKN | Height : 34.50 mm Width : 8.00 mm Length : 44.90 mm |  |
| SCUN | Height : 35.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| End Cover | | |
| KPSD4 | Height : 41.30 mm Width : 1.50 mm Length : 52.00 mm |  |
| Insertion Bridge | | |
| SLC4N-10W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 58.60 mm |  |
| SLC4N-3W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 16.65 mm |  |
| SLC4N-4W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 22.65 mm |  |

| Insertion Bridge | | |
|------------------|--|---|
| SLC4N-5W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 28.65 mm |  |
| SLC4N-6W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 34.65 mm |  |
| SLC4N-2W | Height : 23.00 mm Width : 3.00 mm Pitch : 6.00 mm Length : 10.91 mm |  |

| Marker For Terminal Blocks | | |
|----------------------------|---|---|
| LABEL KN5.5 | Height : 2.42 mm Width : 6.00 mm Length : 7.50 mm |  |

| Partition Plate | | |
|-----------------|---|---|
| KBZF | Height : 65.00 mm Width : 1.50 mm Length : 65.00 mm |  |

| Marker carriers | | |
|-----------------|--|---|
| SCUDDMLH | Height : 71.50 mm Width : 11.00 mm Length : 55.60 mm |  |
| SCUNMLH | Height : 53.50 mm Width : 11.00 mm Length : 50.60 mm |  |
| GMH10 | Height : 51.00 mm Width : 10.00 mm Length : 42.25 mm |  |
| GMH20 | Height : 51.00 mm Width : 20.00 mm Length : 42.25 mm |  |
| SCKNMLH | Height : 42.00 mm Width : 16.00 mm Length : 44.70 mm |  |