

## PQ6-1X2

Terminal type - PQ6-1X2 , Multi conductor feed-through terminal block, nominal voltage: 1000 V, nominal current: 41 A, connection method: Push in type, number of connections: 3, cross section: 0.2 mm<sup>2</sup> - 10 mm<sup>2</sup>, width: 8 mm , length: 81.4 mm , height :42.9 mm, color: gray, mounting type: TS 35/7.5, TS 35/15.

### Product Accessories

#### Cover Profile

|          |                                                                |                                                                                     |
|----------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|
| PCPDBF-5 | Height : 14.10 mm<br>Thickness : 1.50 mm<br>Length : 113.00 mm |  |
|----------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|

#### DIN Rail Perforated

|       |                                                                                      |                                                                                      |
|-------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| CHKDS | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm<br>Length : 2,000.00 mm |   |
| CHKS  | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |  |



#### DIN Rail, Unperforated


|      |                                                              |                                                                                       |
|------|--------------------------------------------------------------|---------------------------------------------------------------------------------------|
| CHKD | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm |  |
| CHK  | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm  |  |

#### End Cap



|           |                                                           |                                                                                       |
|-----------|-----------------------------------------------------------|---------------------------------------------------------------------------------------|
| CHKENDCAP | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm |  |
|-----------|-----------------------------------------------------------|---------------------------------------------------------------------------------------|

#### End Clamp

|        |                                                           |                                                                                       |
|--------|-----------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUP   | Height : 34.00 mm<br>Length : 44.75 mm                    |  |
| SCEC35 | Height : 31.50 mm<br>Width : 8.00 mm<br>Length : 45.80 mm |  |

| End Clamp                  |                                                               |                                                                                       |
|----------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUSL                      | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm     |    |
| SCUDD                      | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm    |    |
| DCKN                       | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm     |    |
| DCKN10                     | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm    |    |
| SCKN                       | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm     |   |
| SCUN                       | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm     |  |
| End Cover                  |                                                               |                                                                                       |
| CP6-1X2                    | Height : 29.90 mm<br>Thickness : 2.00 mm<br>Length : 82.00 mm |  |
| Marker For Terminal Blocks |                                                               |                                                                                       |
| LABEL KN8                  | Width : 8.00 mm                                               |  |
| Partition Plate            |                                                               |                                                                                       |
| DBF-5                      | Height : 42.45 mm<br>Width : 3.00 mm<br>Length : 112.00 mm    |  |
| Plug-in Bridge/Jumper      |                                                               |                                                                                       |
| SLPU8-2W                   | Height : 33.30 mm<br>Width : 15.20 mm<br>Pitch : 8.00 mm      |  |

| Plug-in Bridge/Jumper |                                                                               |                                                                                       |
|-----------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SLPU8-10W             | Height : 33.30 mm<br>Width : 79.20 mm<br>Pitch : 8.00 mm                      |    |
| SLPU8-3W              | Height : 33.30 mm<br>Width : 23.20 mm<br>Pitch : 8.00 mm                      |    |
| SLPU8-4W              | Height : 33.30 mm<br>Width : 31.20 mm<br>Pitch : 8.00 mm                      |    |
| SLPU8-5W              | Height : 33.30 mm<br>Width : 39.20 mm<br>Pitch : 8.00 mm                      |    |
| SLPU8-6W              | Height : 33.30 mm<br>Width : 2.50 mm<br>Pitch : 8.00 mm<br>Length : 47.20 mm  |   |
| SLPU8-3AW             | Height : 33.30 mm<br>Width : 2.50 mm<br>Pitch : 16.00 mm<br>Length : 23.20 mm |  |
| SLPU8-7AW             | Height : 33.30 mm<br>Width : 2.50 mm<br>Pitch : 16.00 mm<br>Length : 55.20 mm |  |

| Marker carriers |                                                            |                                                                                       |
|-----------------|------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUDDMLH        | Height : 71.50 mm<br>Width : 10.00 mm<br>Length : 55.60 mm |  |
| SCUNMLH         | Height : 53.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm  |  |
| DCKNMLH         | Height : 45.50 mm<br>Width : 6.00 mm<br>Length : 43.50 mm  |  |
| SCKNMLH         | Height : 45.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm  |  |