

## SQ4-1X2


Terminal Type - SQ4-1X2 , Multi Conductor feed through terminal block, nominal voltage: 1000 V, nominal current: 32 A, Rated cross-section: 4.0 mm<sup>2</sup>, connection method: Spring cage connection, number of connections: 3, cross section: 0.08 mm<sup>2</sup> - 6 mm<sup>2</sup>, AWG : 24-10 , mounting type: TS 35/7.5, TS 35/15

### Product Accessories

| Cover Profile          |  |   |
|------------------------|--|---|
| PCPDBF-6               | Height : 14.10 mm<br>Thickness : 1.50 mm<br>Length : 85.50 mm                        |    |
| DIN Rail Perforated    |  |   |
| CHKDS                  | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm<br>Length : 2,000.00 mm |    |
| CHKS                   | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |   |
| DIN Rail, Unperforated |  |   |
| CHKD                   | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm                         |  |
| CHK                    | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |  |
| End Cap                |  |   |
| CHKENDCAP              | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm                            |  |
| End Clamp              |  |   |
| SCUP                   | Height : 34.00 mm<br>Width : 9.00 mm<br>Length : 44.75 mm                            |  |
| SCEC35                 | Height : 31.50 mm<br>Width : 8.00 mm<br>Length : 45.80 mm                            |  |

| <b>End Clamp</b>                  |  |   |
|-----------------------------------|--|---|
| SCUSL                             | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm                    |    |
| SCUDD                             | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm                   |    |
| DCKN                              | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm                    |    |
| DCKN10                            | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm                   |    |
| SCKN                              | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm                    |   |
| SCUN                              | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm                    |  |
| <b>End Cover</b>                  |  |   |
| CSP4-1X2                          | Height : 22.70 mm<br>Width : 2.00 mm<br>Length : 73.20 mm                    |  |
| <b>Marker For Terminal Blocks</b> |  |   |
| LABEL KN5.5                       | Height : 2.42 mm<br>Width : 6.00 mm<br>Length : 7.50 mm                      |  |
| <b>Partition Plate</b>            |  |   |
| DBF-6                             | Height : 81.50 mm<br>Width : 3.00 mm<br>Length : 85.00 mm                    |  |
| <b>Plug-in Bridge/Jumper</b>      |  |   |
| SLPU6-2W                          | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 10.15 mm |  |

| <b>Plug-in Bridge/Jumper</b> |  |  |
|------------------------------|--|--|
| SLPU6-10W                    | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 58.15 mm |   |
| SLPU6-3W                     | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 16.15 mm |   |
| SLPU6-4W                     | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 22.15 mm |   |
| SLPU6-5W                     | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 28.15 mm |   |
| SLPU6-6W                     | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 34.15 mm |  |

| <b>Marker carriers</b> |  |   |
|------------------------|--|---|
| SCUDDMLH               | Height : 71.50 mm<br>Width : 11.00 mm<br>Length : 55.60 mm |  |
| SCUNMLH                | Height : 53.50 mm<br>Width : 11.00 mm<br>Length : 50.60 mm |  |
| DCKNMLH                | Height : 45.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm |  |
| SCKNMLH                | Height : 42.00 mm<br>Width : 16.00 mm<br>Length : 44.70 mm |  |