



















## TQ4-D

Terminal Type - TQ4-D , Feed-through terminal block with build in diode , nominal voltage: 1000 V, nominal current: 1 A, Rated cross-section: 4.0 mm<sup>2</sup>, connection method: Screw connection, number of connections: 2, cross section: 0.14 mm<sup>2</sup> - 6 mm<sup>2</sup>, AWG: 24-10 , mounting type: TS 35/7.5, TS 35/15

### Product Accessories

| Cover Profile          |                                                                                      |                                                                                       |
|------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PCPDBF-3               | Height : 14.10 mm<br>Thickness : 1.50 mm<br>Length : 79.00 mm                        |    |
| DIN Rail Perforated    |                                                                                      |                                                                                       |
| CHKDS                  | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm<br>Length : 2,000.00 mm |    |
| CHKS                   | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |   |
| DIN Rail, Unperforated |                                                                                      |                                                                                       |
| CHKD                   | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm                         |  |
| CHK                    | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm                          |  |
| End Cap                |                                                                                      |                                                                                       |
| CHKENDCAP              | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm                            |  |
| End Clamp              |                                                                                      |                                                                                       |
| SCUP                   | Height : 34.00 mm<br>Width : 9.00 mm<br>Length : 44.75 mm                            |  |
| SCEC35                 | Height : 31.50 mm<br>Width : 8.00 mm<br>Length : 45.80 mm                            |  |

| End Clamp                  |                                                                              |                                                                                       |
|----------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUSL                      | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm                    |    |
| SCUDD                      | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm                   |    |
| DCKN                       | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm                    |    |
| DCKN10                     | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm                   |    |
| SCKN                       | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm                    |   |
| SCUN                       | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm                    |  |
| End Cover                  |                                                                              |                                                                                       |
| CTP2.5-10                  | Height : 33.70 mm<br>Width : 2.00 mm<br>Length : 55.70 mm                    |  |
| Marker For Terminal Blocks |                                                                              |                                                                                       |
| LABEL KN5.5                | Height : 2.42 mm<br>Width : 6.00 mm<br>Length : 7.50 mm                      |  |
| Partition Plate            |                                                                              |                                                                                       |
| DBF-3                      | Height : 50.00 mm<br>Width : 3.00 mm<br>Length : 78.00 mm                    |  |
| Plug-in Bridge/Jumper      |                                                                              |                                                                                       |
| SLPU6-2W                   | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 10.15 mm |  |

| Plug-in Bridge/Jumper |                                                                              |                                                                                       |
|-----------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SLPU6-10W             | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 58.15 mm |    |
| SLPU6-3W              | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 16.15 mm |    |
| SLPU6-4W              | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 22.15 mm |    |
| SLPU6-5W              | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 28.15 mm |    |
| SLPU6-6W              | Height : 26.00 mm<br>Width : 3.00 mm<br>Pitch : 6.00 mm<br>Length : 34.15 mm |   |
| Marker carriers       |                                                                              |                                                                                       |
| SCUDDMLH              | Height : 71.50 mm<br>Width : 11.00 mm<br>Length : 55.60 mm                   |  |
| SCUNMLH               | Height : 53.50 mm<br>Width : 11.00 mm<br>Length : 50.60 mm                   |  |
| DCKNMLH               | Height : 45.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm                   |  |
| SCKNMLH               | Height : 42.00 mm<br>Width : 16.00 mm<br>Length : 44.70 mm                   |  |